

Operational Instructions

OI - 4.6 | Granite Setts

Revision:	A	Section:	4.0 - Infrastructure Stage 2
-----------	---	----------	------------------------------

Visual Aids



Information

Task Specific Safety Checks & Notes	Operational Checks
● In the first instance, please ensure you have referred to your site-specific Risk Assessments & Method Statements (RAMS) ● Working areas are to be segregated in accordance with MIDA Operational Standard - 2.4 - Segregation - General Working Area or MIDA Operational Standard - 2.6 - Segregation - Public Working Area ○ Wherever we are operating within trafficked carriageways, we must be working under Chapter 8 regulations	● Inform the Local Authority to let them know we are starting works – they may want to inspect ● Please ensure that granite sett rumble strips are installed prior to any carriageway wearing course ● The sub-base is to be prepared in line with the site-specific Local Authority specification ● Ensure that the setts are to be laid on 10mm aggregate concrete (design specified in site specific details) ● The site engineer is to set out the location of the setts ● The jointing compound is to comply with the site-specific specification (Ronafix or similar) – do not use sand & cement
QA Checks & Actions	Operational Standard - References
● Photograph the completed area and include in your photographic daily diary	● MIDA Operational Standard - 2.4 - Segregation - General Working Area ● MIDA Operational Standard - 2.6 - Segregation - Public Working Area